

	Type	L #	Hits	Search Text	DBs
1	BRS	L4	11	(1 2 3) and (blocker blocking shutter)	USPAT; US-PGP UB; EPO; JPO; DERWEN T
2	BRS	L5	2	(1 2 3) and (insulat\$3 near2 prong\$1)	USPAT; US-PGP UB; EPO; JPO; DERWEN T
3	BRS	L6	172	plug and (insulat\$3 near2 prong\$1)	USPAT; US-PGP UB; EPO; JPO; DERWEN T
4	BRS	L7	33	plug and (insulat\$3 adj prong\$1)	USPAT; US-PGP UB; EPO; JPO; DERWEN T
5	BRS	L12	72	(vortman.xa. vortman.xp.) and (plug receptacle outlet)	USPAT; US-PGP UB; EPO; JPO; DERWEN T
6	BRS	L14	203	plug and (insulat\$3 near2 prong\$1)	USOCR
7	BRS	L15	14	plug and (safety adj receptacle)	USOCR
8	BRS	L17	7	plug and (safety adj connector)	USOCR

	Type	L #	Hits	Search Text	DBs
9	BRS	L18	72	plug and (safety adj connector)	USPAT; US-PGP UB; EPO; JPO; DERWEN T
10	BRS	L19	647	safety adj plug	USPAT; US-PGP UB; EPO; JPO; DERWEN T
11	BRS	L20	75	19 and fuse	USPAT; US-PGP UB; EPO; JPO; DERWEN T
12	BRS	L21	121	fused adj (plug receptacle)	USPAT; US-PGP UB; EPO; JPO; DERWEN T
13	BRS	L22	39	21 and prong\$1	USPAT; US-PGP UB; EPO; JPO; DERWEN T
14	BRS	L23	66	fused adj (plug receptacle)	USOCR
15	BRS	L24	20	23 and prong\$1	USOCR

	Type	L #	Hits	Search Text	DBs
18	BRS	L27	5	(337/\$.ccls. 361/\$.ccls.) and braille	USPAT; US-PGP UB; EPO; JPO; DERWEN T
19	BRS	L28	177	(fuse plug receptacle connector) and electrical and braille	USPAT; US-PGP UB; EPO; JPO; DERWEN T